






OUT DOOR UNIT CONTROL WIRING 1 HP DAIKIN










































HOTLINK PROTECTION ACTIVATED - NOTE: Empty or Blank Referrals are not Allowed





VALVE SYMBOLS	PIPING SYMBOLS	
 BALL VALVE F - FULL PORT BALL R - REDUCED PORT BALL	 LINE NUMBER CHANGE	
 BUTTERFLY VALVE	 LINE SIZE CHANGE	
 CHECK VALVE D - WITH DASHPOT	 SPECIFICATION BREAK	
 GATE VALVE OR MISCELLANEOUS VALVE	 HOSE CONNECTION	
 GLOBE VALVE	 SPECTACLE BLIND (OPEN OR CLOSED)	
 NEEDLE VALVE	 PADDLE BLIND (SPACER) (OPEN OR CLOSED)	
 PLUG VALVE	 HAMMER BLIND (OPEN OR CLOSED)	
 ANGLE VALVE (UNDEFINED)	 SPECIALTY ITEM	
 THREE WAY VALVE	 FLAT STRAINER	
 FOUR WAY VALVE	 Y-TYPE STRAINER	
 ANGLE CHOKE VALVE	 T-TYPE STRAINER	
 CHOKE VALVE	 BASKET STRAINER	
 PRESSURE OR SAFETY RELIEF VALVE-PILOT OPERATED TYPE	 DUPLEX STRAINER	
 RUPTURE DISC OR PIN	 CONE STRAINER (APEX DOWNSTREAM)	
 PRESSURE OR SAFETY RELIEF VALVE-CONVENTIONAL OR BALANCED BELLOWS TYPE	 TUNDISH TO OPEN DRAIN SYSTEM	
 DIAPHRAGM OPERATED CONTROL VALVE (GLOBE BODY)	 CLOSED DRAIN	
 SELF-CONTAINED REGULATING VALVE	 OPEN DRAIN SYSTEM (WITH LIQUID SEAL)	
 DIAPHRAGM OPERATED CONTROL VALVE WITH HANDWHEEL		
 DIAPHRAGM OPERATED CONTROL VALVE (BUTTERFLY TYPE)		
 DIAPHRAGM OPERATED CONTROL VALVE (SEE BALL TYPE)		